BUTTERWORTH HEINEMANN

Cryogenics 35 (1995) 905–913
© 1995 Elsevier Science Limited
Printed in Great Britain. All rights reserved

Cryogenics

Index to Volume 35 (1995)

No 1 (January) pp 1–80
No 2 (February) pp 81–152
No 3 (March) pp 153–224
No 4 (April) pp 225–288
No 5 (May) pp 289–352
No 6 (June) pp 353–416
No 7 (July) pp 417–480
No 8 (August) pp 481–544
No 9 (September) pp 545–608
No 10 (October) pp 609–672
No 11 (November) pp 673–840
No 12 (December) pp 841–920

Article index (titles in italics refer to Research and technical notes)

Number 1/January

Exergetic analysis of plate heat exchanger in presence of axial dispersion in fluid
S.K. Das and W. Roetzel 3

An exact solution for shuttle heat transfer
Jong Hoon Baik and Ho-Myung Chang 9

Thermoacoustic heat transportation and energy transformation. Part 1: Formulation of the problem
J.H. Xiao 15

Thermoacoustic heat transportation and energy transformation. Part 2: Isothermal wall thermoacoustic effects
J.H. Xiao 21

Thermoacoustic heat transportation and energy transformation. Part 3: Adiabatic wall thermoacoustic effects
J.H. Xiao 27

Evaporation of superfluid helium in a capillary
C.R. Lages, R.H. Torii and D.B. DeBra 31

Frictional properties of ceramics, MoS_2 coated films and polyethylene fibre reinforced plastics at 4.2 K in liquid helium
A. Iwabuchi, H. Arai, Y. Yoshino, T. Shimizu, M. Sugimoto, K. Yoshida, T. Kashima and H. Inui 35

New 7 T superconducting magnet system for bacterial cultivation
M. Okuda, K. Saito, T. Kamikado, S. Ito, K. Matsumoto, K. Okuno, K. Tsuchiya, T. Ano and M. Shoda 41

Non-Josephson oscillation as a new mechanism for developing bolometric detectors
G.E. Churilov, D.A. Dikin and V.M. Dmitriev 49

Nb_3Sn tensile strength and its distribution estimated from change in superconducting critical current of preloaded multifilamentary composite wire
S. Ochiai, S. Nishino, M. Hojo, K. Osamura and K. Watanabe 55

Enhanced flux pinning and critical currents by Hf and Hf-Ca substitution in $YBa_2Cu_3O_{7-\delta}$
G.J. Baldha, I.A. Shaikh, D.G. Kuberkar, J.A. Bhalodia, U.S. Joshi and R.G. Kulkarni 61

Thermal contraction of superconducting magnet materials
V.N. Gladky, S.S. Kozub, A.T. Veshchikov and U. Escher 67

Post-isenthalpic expansion temperature
B.-Z. Maytal 69

Optical cell for observing solidification of helium
M.-T. Chen and A.J. Dahm 71

Number 2/February

I_c anisotropy in flattened Nb_3Sn superconductors and possible ways for overcoming it
P. Kováč, L. Cesnak, L. Kopera, H. Fikis and G. Hilscher 83

Instability behaviour of superconductor wires/cylinders under finite linear thermal disturbance
A. Ünal and M.-C. Chyu 87

A.c. loss induced quenching in multicoil adiabatic superconducting magnets
M.I. Yunus, Y. Iwasa and J.E.C. Williams 93

New method for analysis of active magnetic regenerator in magnetic refrigeration at room temperature
J.C. Hu and J.H. Xiao 101

Design of RuO_2-based thermometers for the millikelvin temperature range
I. Bat'ko, K. Flachbart, M. Somora and D. Vanický 105

Closed-cycle gas flow system for cooling of high T_c d.c. SQUID magnetometers
P.J. van den Bosch, H.J. Holland, H.J.M. ter Brake and H. Rogalla 109

System performance analysis of Gifford–McMahon cooler
B.J. Huang and S.C. Chang 117

Operation of Bi-2212 superconducting magnet with room temperature bore of 45 mm diameter at 20 K
T. Hase, K. Shibutani, S. Hayashi, R. Ogawa and Y. Kawate 127

Quench-induced breakdown characteristics of liquid helium and optical observation of thermal bubbles
N. Hayakawa, M. Hirose, H. Goshima, M. Hikita, K. Uchida and H. Okubo 135

Cooling of SQUIDs using a Gifford–McMahon cryocooler containing magnetic regenerative material to measure biomagnetism
S. Fujimoto, K. Kazami, Y. Takada, T. Yoshida, H. Ogata and H. Kado 143

Superconducting wire contact to niobium thin films
A.C. Leuthold and R.T. Wakai 149

Number 3/March

Eddy current technique for testing large-area, high T_c superconducting films with high spatial resolution
K. Wegendt, R.P. Huebener, R. Gross, Th. Träuble, W. Geweke, W. Patzwaldt, W. Prusseit and H. Kinder 155

Critical current properties and vortex-glass–liquid transition in Ag-sheathed Bi-2223 tapes
Y. Mawatari, H. Yamasaki, S. Kosaka and M. Umeda 161

Development of high J_c Nb-Ti multifilamentary superconducting wires for a.c. use by artificially introduced pins
O. Miura, I. Inoue, T. Suzuki, K. Matsumoto, Y. Tanaka, K. Funaki, M. Iwakuma, K. Yamafuji and T. Matsushita 169

Development of high-field a.c. superconducting magnet using ultrafine multifilamentary Nb-Ti superconducting wire with designed Nb artificial pins
O. Miura, I. Inoue, T. Suzuki, K. Matsumoto, Y. Tanaka, K. Funaki, M. Iwakuma, K. Yamafuji and T. Matsushita 181

Flux creep in proximity-induced superconducting matrix in NbTi multifilamentary wires
T. Akune, N. Sakamoto, O. Miura, Y. Tanaka and K. Yamafuji 189

Neon liquefaction system for high T_c experiments
R.N. Richardson and A.C.R. Tavner 195

Silicon diode temperature sensors for process systems
P.C. McDonald 199

Linear network analysis of regenerator in a cyclic-flow system
B.J. Huang and C.W. Lu 203

Separation of helium from spent respiration mixture
L.A. Akulov, Yu.Ya. Ignatov and V.E. Melnikov 209

Influence of changes in atmospheric pressure on evaporation rates of low-loss helium cryostats
P. Hanzelka and V. Musilová 215

Experimental study of heat transfer at ^{3}He boiling and condensation
I.F. Kuzmenko 219

Number 4/April

Stability of rotating flows with radial heat transfer
R.C. Dykhuizen 227

Enhanced boiling heat transfer surfaces
R.G. Scurlock 233

Considerations on the use of high resistance signal wires for SQUID systems
A. Kandori, M. Ueda, H. Ogata and H. Kado 239

A.c. magnetic properties of YBaCuO bulk superconductor in high T_c superconducting levitation
M. Uesaka, A. Suzuki, N. Takeda, Y. Yoshida and K. Miya 243

Effect of non-uniform core thickness on critical current density of silver-sheathed oxide superconducting tapes
S. Patel, T. Haugan, F. Wong, S. Chen, S.S. Li, J. Ye and D.T. Shaw 249

Effect of bending on J_c–ϵ characteristic of silver-sheathed oxide superconducting tape with sausaging
S. Patel, S. Chen, T. Haugan, F. Wong and D.T. Shaw 257

Current–voltage characteristics and quasi-two-dimensional vortex-glass transition in epitaxial $Bi_2Sr_2Ca_2Cu_3O_x$ films
H. Yamasaki, K. Endo, S. Kosaka, M. Umeda, S. Yoshida and K. Kajimura 263

Influence of lead content on temperature dependence of thermoelectric power of 2223 (Bi-Pb) sintered cuprates
B. Chanda, S.K. Ghatak and T.K. Dey 271

Thermophysical properties of epoxy composite materials at low temperatures
L.E. Evseeva and S.A. Tanaeva 277

Linear diode thermometer in the 4–300 K temperature range
A. Szmyrka-Grzebyk and L. Lipiński 281

Number 5/May

Derivation of optimized calibration procedures for practical thermometers
K. Nara, H. Kato and M. Okaji 291

Plate-fin heat exchanger performance reduction in special two-phase flow conditions
T. Müller-Menzel and T. Hecht 297

Adiabatic demagnetization refrigerators for small laboratory experiments and space astronomy
C. Hagmann and P.L. Richards 303

Preliminary experimental and numerical study of transient characteristics for a Joule–Thomson cryocooler
F.-C. Chou, C.-F. Pai, S.B. Chien and J.S. Chen 311

A brief overview of cryogenics in China
S.-M. Li 317

Substrate current characteristics in partially depleted silicon-on-insulator n-MOSFETs from room temperature down to 4.2 K
E. Simoen and C. Claeys 321

Experimental evaluation of longitudinal field loss in multiply-twisted superconducting cables for a.c. use
H. Kanetaka, H. Ueda, Y. Eguchi, M. Iwakuma, K. Funaki, M. Takeo, K. Yamafuji, S. Miyake, T. Kumano and M. Ichihara 327

Multilayer NbTi superconducting magnetic shield via interfacial pinning
T. Sasaki and I. Itoh 335

Generation of homogeneous high magnetic fields within superconducting 'Swiss roll'
T. Sasaki, K. Iwata, H. Otsuka and I. Itoh 339

Specific heat of stainless steel below T = *1 K*
C. Hagmann and P.L. Richards 345

Phase separator for liquid nitrogen supply lines
B.V. Elkonin 347

Number 6/June

Structural and morphological characterization of high quality $Y_1Ba_2Cu_3O_x$ epitaxial films by atomic force and high resolution scanning electron microscopies
G.A. Alvarez, M. Matsuda and M. Koyanagi 361

Normal zone propagation in cryocooler-cooled Nb_3Sn tape-wound magnet
H. Lim, Y. Iwasa and J.L. Smith, Jr 367

Current sharing and stability in a Bi-2223/Ag high temperature superconductor
M. Wetzko, M. Zahn and H. Reiss 375

Cryogenic engineering of high temperature superconductors below 77 K
R.N. Richardson, R.G. Scurlock and A.C.R. Tavner 387

Flow regime identification in cryogenic gas–liquid flow through vertical tubes
R. Das and S. Pattanayak 393
Woven ribbon cable for cryogenic instruments
C.R. Cunningham, P.R. Hastings and J.M.D. Strachan 399
Critical current density of superconducting NbTi/Nb/Cu multilayer composite sheets
I. Itoh and T. Sasaki 403

Number 7/July

Bubble to slug flow transition in vertical upward two-phase flow of cryogenic fluids
R. Das and S. Pattanayak 421
Thermodynamic aspects of thermoacoustic theory
A. Tominaga 427
Current limiting level–time characteristic of a superconducting fault current limiter
Y.J. Tang, Y. Yokomizu, N. Hayakawa, T. Matsumura, H. Okubo and Y. Kito 441
Au-Ge film thermometers for temperature range 30 mK–300 K
O. Béthoux, R. Brusetti, J.C. Lasjaunias and S. Sahling 447
Optimization of noise parameters of SQUID magnetometers with external negative feedback
V. Zrubec and J. Maňka 451
Energy margins in a dry-winding superconducting test coil. Part 1: Dissipation within the conductor
K. Takeuchi, V. Mehta, C.Y. Shigue and Y. Iwasa 455
Signal-to-noise ratio improvement of HTSC bolometers for cryocooler operation using a thermal compensation principle
G. Kaiser, M. Thürk and P. Seidel 463
Pressure drop and void fraction of two-phase helium flowing in horizontal tubes
X. Huang and S.W. Van Sciver 467
Resistance thermometer as a very simple microcalorimeter
M. Orendáč, A. Orendáčová and A. Feher 475

Number 8/August

Influence of thermodynamic parameters on main characteristics of helium liquefaction and refrigeration plant
G.B. Narinsky, V.V. Temirova and L.V. Chernokov 483
Parity simulation of thermoacoustic effect in regenerator of Stirling cryocooler
Y. Xiang, B. Kuang and F.Z. Guo 489
Eddy currents in flat two-layer superconducting cables
A.A. Akhmetov, K. Kuroda, K. Ono and M. Takeo 495
Simulation test and theoretical analysis of surge propagation in superconducting magnet
B.J. Choi, S. Ohtsuka, J. Suehiro and M. Hara 505
Effects of cryogenic cooling by liquid nitrogen jet on forces, temperature and surface residual stresses in grinding steels
S. Paul and A.B. Chattopadhyay 515
Magnetoresistance of thick-film chip resistors at millikelvin temperatures
K. Uhlig 525
Interstrand eddy current losses in Rutherford cable
W.J. Carr, Jr and V.T. Kovachev 529
Superconducting niobium and niobium nitride processes for medium-scale integration applications
M. Radparvar 535

Number 9/September

Analysis of basic pulse-tube refrigerator with regenerator
P.C.T. de Boer 547
Experimental study of multi-bypass pulse-tube refrigerator
C. Wang, S.Q. Wang, J.H. Cai and Z. Yuan 555
Shear strength testing of solid oxygen
S.C. Bates and T.L. Altshuler 559
Superconducting coupling device
P. Tixador, P. Hiebel, E. Hotier, X. Chaud and E. Beaugnon 567
Transient heat transfer in channel of liquid or supercritical helium
D.L. Kingsbury and S.W. Van Sciver 573
Axial conduction in a thick-wall matrix heat exchanger
G.F. Jones 581
Effect of baffle on slosh reaction forces in rotating liquid helium subjected to a lateral impulse in microgravity
R.J. Hung and Y.T. Long 589
Performance of CMOS ternary full adder at liquid nitrogen temperature
A. Srivastava and K. Venkatapathy 599

Number 10/October

Flux jump in solid multistrand superconducting cable for fusion magnet
H. Kaneko, N. Yanagi, T. Satow, T. Mito, K. Takahata and J. Yamamoto 611
Local normal zone nucleation to 'global' transition: quench development in superconductors with changing current
N.A. Buznikov, A.A. Pukhov and A.L. Rakhmanov 623
Visualization study of film boiling onset and transition to noisy film boiling in He II
Y. Katsuki, M. Murakami, T. Iida and T. Shimizaki 631
Proximity-effected magnetization in short NbTi multifilamentary wires
N. Sakamoto and T. Akune 637
Second sound wave heat transfer, thermal boundary layer formation and boiling: highly transient heat transport phenomena in He II
T. Shimazaki, M. Murakami and T. Iida 645
Eddy currents in superconducting Rutherford cables
G.T. Mallick, Jr, W.J. Carr, Jr, J.M. Toms and V.T. Kovachev 653
Motional heat loss of a Gifford–McMahon cryorefrigerator
C. Minas 659
Magnetic impurities in glasses and gelatine
S. Rehmann, T. Herrmannsdörfer and F. Pobell 665

Number 11/November

Cryogenic properties of composite materials
T. Horiuchi and T. Ooi 677
Stress analysis in shear/compression tests
S. Nishijima, S. Ueno, T. Okada and K. Niwa 681
Shear/compressive fatigue of insulation systems at low temperatures
R.P. Reed, P.E. Fabian and T.S. Bauer-McDaniel 685
Shear/compressive properties of candidate ITER insulation systems at low temperatures
P.E. Fabian, R.P. Reed, J.B. Schutz and T.S. Bauer-McDaniel 689
Interlaminar shear strength of high-

density laminates at cryogenic temperatures
Y. Tsukasaki, S. Nishijima, K. Matsushita, T. Nishiura, T. Okada and K. Asano 693

A new testing technique for fibre reinforced plastics in the interlaminar crack opening mode (mode I)
K. Humer, E.K. Tschegg, R. Platschka and H.W. Weber 697

Initial results from the testing of potential ITER insulation materials
A.J. Broadbent, J. Crozier, K.D. Smith, A.J. Street and J.M. Wiatrzyk 701

Edge and interlaminar stresses of glass-cloth-reinforced epoxy laminates under uniform axial extension at cryogenic temperatures
S. Ueda and Y. Shindo 705

Mechanical behaviour of cracked woven glass/epoxy laminates under tension at low temperatures
Y. Shindo and S. Ueda 709

Thermal properties of polymer/particle composites at low temperatures
M. Jäckel 713

Support elements with extremely negative thermal expansion
G. Hartwig 717

Low temperature thermal properties of composite insulation systems
P.E. Fabian, T.S. Bauer-McDaniel and R.P. Reed 719

Low temperature properties of a unidirectionally reinforced epoxy fibreglass composite
R.P. Walsh, J.D. McColskey and R.P. Reed 723

Thermal and fatigue cycling of fibre composites
G. Hartwig and R. Hübner 727

Interfacial residual thermal strain
M. Kasen and R. Santoyo 731

Elastic modulus and the measurement of structural ceramics at cryogenic temperatures
K. Ota 735

Effects of neutron/gamma irradiation at 4 K on shear and compressive properties of insulation
R. Reed, P. Fabian, T. Bauer-McDaniel, C. Hazelton and N. Munshi 739

Tensile and fracture behaviour in mode I and mode II of fibre reinforced plastics at 77 K following low temperature irradiation
K. Humer, H.W. Weber, E.K. Tschegg, H. Gerstenberg and B.N. Goshchitskii 743

Synergistic effects of radiation and stress on mechanical properties of organic and composite materials
T. Nishiura, S. Nishijima and T. Okada 747

Fracture behaviour of plastic–copper interfaces in the crack opening mode (mode I) after neutron and gamma irradiation
K. Humer, E.K. Tschegg, R. Platschka and H.W. Weber 751

Fundamental aspects of irradiation of plastic materials at low temperatures
D. Evans, R.P. Reed and C.S. Hazelton 755

Effects of cryogenic irradiation on electrical strength of candidate ITER insulation materials
J.B. Schutz, P.E. Fabian, C.S. Hazelton, T.S. Bauer-McDaniel and R.P. Reed 759

Irradiation effects in liquid methane used as a neutron moderator
D. Evans 763

Molecular design of an epoxy for cryogenic temperatures
F. Sawa, S. Nishijima and T. Okada 767

ITER central solenoid model coil impregnation optimization
J.B. Schutz, N.A. Munshi and K.B. Smith 771

Thermal expansion of epoxy resins with different cross-link densities at low temperatures
U. Escher 775

Application of the positron annihilation method for evaluation of organic materials for cryogenic use
S. Nishijima, Y. Honda and T. Okada 779

Thermomechanical properties of a toughened epoxy for impregnating superconducting magnets
A.B. Brennan, T.M. Miller, J.J. Arnold, K.V. Huang, N.L. Gephart and W.D. Markewicz 783

Cryogenic properties of engineering plastic films
H. Yamaoka, K. Miyata and O. Yano 787

Self-healing breakdown of polyimide thin films in the cryogenic temperature region
Y. Muramoto, M. Nagao and M. Kosaki 791

Poly(benzimidazole) as insulator for superconductors
Y. Onishi, A. Maeno, H. Tanigawa, K. Iura, T. Ito, M. Nagata and T. Sasuga 795

Thermal conductivity of polyimide film at cryogenic temperature
H. Yokoyama 799

State-of-the-art fibre-reinforced-plastic cryostats in Japan
T. Okada and S. Nishijima 801

Development and tests of extruded ethylenepropylene-rubber-insulated superconducting cable
M. Kosaki, M. Nagao, A. Minoda, Y. Mizuno, N. Hirata, M. Nagata and S. Tanaka 805

Effect of epoxy cracking resistance on the stability of impregnated superconducting solenoids
H. Sekiya, H. Moriyama, H. Mitsui, S. Nishijima and T. Okada 809

Materials selection and processing issues pertinent to the fabrication of a large magnet by the insulate–wind–react–impregnate technique
A. Bonito-Oliva, J.R. Miller and H. Schneider-Muntau 813

Instability of superconducting windings induced by cracking of impregnating materials
H. Miyamoto, S. Nishijima and T. Okada 817

Cryogenic skirt support post
R.C. Niemann and W.E. Buckles 821

Effect of ground insulation contact on stability of epoxy-impregnated superconducting solenoids
M. Moriyama, H. Sekiya, H. Mitsui, S. Nishijima and T. Okada 825

Design and performance of low-thermal-resistance, high-electrical-isolation heat intercept connections
R.C. Niemann, J.D. Gonczy, P.E. Phelan and T.H. Nicol 829

Number 12/December

Recent progress of applied superconductivity in China
L.G. Yan and L.Z. Lin 843

Pinhole defects in Ag sheath of PIT Bi-2212 tapes
T. Haugan, S. Chen, S. Patel, F. Wong, P. Bush and D.T. Shaw 853

Influence of self-magnetic field on a.c. quench current level of superconducting coils
Y.J. Tang, Y. Yokomizu, N. Hayakawa, T. Matsumura, H. Okubo and Y. Kito 861

Factors determining the magnetic field generated by a solenoid made with a superconductor having critical current anisotropy

M. Däumling and R. Flükiger 867
Radiation effects on insulators for superconducting fusion magnets *K. Humer, H.W. Weber and E.K. Tschegg* 871
Criterion for quantum turbulence onset after rectangular heat pulse in superfluid helium *R. Wang* 883
Laser interferometric dilatometer at low temperatures: application to fused silica SRM 739 *M. Okaji, N. Yamada, K. Nara and H. Kato* 887
Influence of an applied magnetic field on shielding current paths in a high T_c superconductor *N. Takeda, M. Uesaka and K. Miya* 893
Successful fabrication of bicrystal Si substrates for $YBa_2Cu_3O_{7-y}$ Josephson junctions S.J. Kim, H. Myoren, J. Chen, K. Nakajima and T. Yamashita 901

Author index

Akhmetov, A.A. 495
Akulov, L.A. 209
Akune, T. 189, 637
Altshuler, T.L. 559
Alvarez, G.A. 361
Ano, T. 41
Arai, H. 35
Arnold, J.J. 783
Asano, K. 693

Baik, J. H. 9
Baldha, G.J. 61
Bates, S.C. 559
Bat'ko, I. 105
Bauer-McDaniel, T.S. 685, 687, 719, 739, 759
Beaugnon, E. 567
Béthoux, O. 447
Bhalodia, J.A. 61
Bonito-Oliva, A. 813
Brennan, A.B. 783
Broadbent, A.J. 701
Brusetti, R. 447
Buckles, W.E. 821
Bush, P. 853
Buznikov, N.A. 623

Cai, J.H. 555
Carr, Jr, W.J. 529, 653
Cesnak, L. 83
Chanda, B. 271
Chang, H.-M. 9
Chang, S.C. 117
Chattopadhyay, A.B. 515
Chaud, X. 567
Chen, J. 901
Chen, J.S. 311
Chen, M.-T. 71
Chen, S. 249, 257, 853
Chernokov, L.V. 483
Chien, S.B. 311
Choi, B.J. 505
Chou, F.-C. 311
Churilov, G.E. 49
Chyu, M.-C. 87
Claeys, C. 321
Crozier, J. 701
Cunningham, C.R. 399

Dahm, A.J. 71
Das, R. 393, 421
Das, S.K. 3
Däumling, M. 867
DeBra, D.B. 31
Dey, T.K. 271
Dikin, D.A. 49
Dmitriev, V.M. 49
Dykhuizen, R.C. 227
de Boer, P.C.T. 547

Eguchi, Y. 327
Elkonin, B.V. 347
Endo, K. 263
Escher, U. 67, 775
Evans, D. 755, 763
Evseeva, L.E. 277

Fabian, P. 739
Fabian, P.E. 685, 687, 719, 759
Feher, A. 475
Fikis, H. 83
Flachbart, K. 105
Flükiger, R. 867
Fujimoto, S. 143
Funaki, K. 169, 181, 327

Gephart, N.L. 783
Gerstenberg, H. 743
Geweke, W. 155
Ghatak, S.K. 271
Gladky, V.N. 67
Gonczy, J.D. 829
Goshchitskii, B.N. 743
Goshima, H. 135
Gross, R. 155
Guo, F.Z. 489

Hagmann, C. 303, 345
Hanzelka, P. 215
Hara, M. 505
Hartwig, G. 717, 727
Hase, T. 127
Hastings, P.R. 399
Haugan, T. 249, 257, 853
Hayakawa, N. 135, 441, 861
Hayashi, S. 127
Hazelton, C.S. 755, 759, 739
Hecht, T. 297
Herrmannsdörfer, T. 665
Hiebel, P. 567
Hikita, M. 135
Hilscher, G. 83
Hirata, N. 805
Hirose, M. 135
Hojo, M. 55
Holland, H.J. 109
Honda, Y. 779
Horiuchi, T. 677
Hotier, E. 567
Huang, B.J. 117, 203
Huang, K.V. 783
Huang, X. 467
Hübner, R. 727
Huebener, R.P. 155
Hu, J.C. 101
Humer, K. 697, 743, 751, 871
Hung, R.J. 589

Ichihara, M. 327
Ignatov, Yu.Ya. 209
Iida, T. 631, 645
Inoue, I. 169, 181
Inui, H. 35
Itoh, I. 335, 339, 403
Ito, S. 41
Ito, T. 795
Iura, K. 795
Iwabuchi, A. 35
Iwakuma, M. 169, 181, 327
Iwasa, Y. 93, 367, 455
Iwata, K. 339

Jäckel, M. 713
Jones, G.F. 581
Joshi, U.S. 61

Kado, H. 143, 239
Kaiser, G. 463
Kajimura, K. 263
Kamikado, T. 41
Kandori, A. 239
Kaneko, H. 611
Kanetaka, H. 327
Kasen, M. 731
Kashima, T. 35
Kato, H. 291, 887
Katsuki, Y. 631
Kawate, Y. 127
Kazami, K. 143
Kim, S.J. 901
Kinder, H. 155
Kingsbury, D.L. 573
Kito, Y. 441, 861
Kopera, L. 83
Kosaka, S. 161, 263
Kosaki, M. 791, 805
Kovachev, V.T. 529, 653
Kováč, P. 83
Koyanagi, M. 361
Kozub, S.S. 67
Kuang, B. 489
Kuberkar, D.G. 61
Kulkarni, R.G. 61
Kumano, T. 327
Kuroda, K. 495
Kuzmenko, I.F. 219

Lages, C.R. 31

Lasjaunias, J.C. 447
Leuthold, A.C. 149
Lim, H. 367
Lin, L.Z. 843
Lipiński, L. 281
Li, S.-M. 317
Li, S.S. 249
Long, Y.T. 589
Lu, C.W. 203

Maeno, A. 795
Mallick, Jr, G.T. 653
Maňka, J. 451
Markewicz, W.D. 783
Matsuda, M. 361
Matsumoto, K. 41, 169, 181
Matsumura, T. 441, 861
Matsushita, K. 693
Matsushita, T. 169, 181
Mawatari, Y. 161
Maytal, B.-Z. 69
McColskey, J.D. 723
McDonald, P.C. 199
Mehta, V. 455
Melnikov, V.E. 209
Miller, J.R. 813
Miller, T.M. 783
Minas, C. 659
Minoda, A. 805
Mito, T. 611
Mitsui, H. 809, 825
Miura, O. 169, 181, 189
Miya, K. 243, 893
Miyake, S. 327
Miyamoto, H. 817
Miyata, K. 787
Mizuno, Y. 805
Moriyama, H. 809
Moriyama, M. 825
Müller-Menzel, T. 297
Munshi, N.A. 739, 771
Murakami, M. 631, 645
Muramoto, Y. 791
Musilová, V. 215
Myoren, H. 901

Nagao, M. 791, 805
Nagata, M. 795, 805
Nakajima, K. 901
Nara, K. 291, 887
Narinsky, G.B. 483
Nicol, T.H. 829
Niemann, R.C. 821, 829
Nishijima, S. 681, 693, 747, 767, 779, 801, 809, 817, 825
Nishino, S. 55
Nishiura, T. 693, 747
Niwa, K. 681

Ochiai, S. 55
Ogata, H. 143, 239
Ogawa, R. 127
Ohtsuka, S. 505
Okada, T. 681, 693, 747, 767, 779, 801, 809, 817, 825
Okaji, M. 291, 887
Okubo, H. 135, 441, 861
Okuda, M. 41
Okuno, K. 41
Onishi, Y. 795
Ono, K. 495
Ooi, T. 677
Orendáč, M. 475
Orendáčová, A. 475
Osamura, K. 55
Ota, K. 735
Otsuka, H. 339

Pai, C.-F. 311
Patel, S. 249, 257, 853
Pattanayak, S. 393, 421
Patzwaldt, W. 155
Paul, S. 515
Phelan, P.E. 829
Platschka, R. 697, 751
Pobell, F. 665
Prusseit, W. 155
Pukhov, A.A. 623

Radparvar, M. 535
Rakhmanov, A.L. 623
Reed, R.P. 685, 687, 719, 723, 739, 755, 759
Rehmann, S. 665
Reiss, H. 375
Richardson, R.N. 195, 387
Richards, P.L. 303, 345
Roetzel, W. 3
Rogalla, H. 109

Sahling, S. 447
Saito, K. 41
Sakamoto, N. 189, 637
Santoyo, R. 731
Sasaki, T. 335, 339, 403
Sasuga, T. 795
Satow, T. 611
Sawa, F. 767
Schneider-Muntau, H. 813
Schutz, J.B. 687, 759, 771
Scurlock, R.G. 233, 387
Seidel, P. 463
Sekiya, H. 809, 825
Shaikh, I.A. 61
Shaw, D.T. 249, 257, 853
Shibutani, K. 127
Shigue, C.Y. 455
Shimizaki, T. 631, 645
Shimizu, T. 35
Shindo, Y. 705, 709
Shoda, M. 41
Simoen, E. 321
Smith, Jr, J.L. 367
Smith, K.B. 771
Smith, K.D. 701
Somora, M. 105
Srivastava, A. 599
Strachan, J.M.D. 399
Street, A.J. 701
Suehiro, J. 505
Sugimoto, M. 35
Suzuki, A. 243
Suzuki, T. 169, 181
Szmyrka-Grzebyk, A. 281

Takada, Y. 143
Takahata, K. 611
Takeda, N. 243, 893
Takeo, M. 327, 495
Takeuchi, K. 455
Tanaeva, S.A. 277
Tanaka, S. 805
Tanaka, Y. 169, 181, 189
Tang, Y.J. 441, 861
Tanigawa, H. 795
Tavner, A.C.R. 195, 387
Temirova, V.V. 483
Thürk, M. 463
Tixador, P. 567
Tominaga, A. 427
Toms, J.M. 653
Torii, R.H. 31
Träuble, Th. 155
Tschegg, E.K. 697, 743, 751, 871
Tsuchiya, K. 41
Tsukasaki, Y. 693
ter Brake, H.J.M. 109

Uchida, K. 135
Ueda, H. 327
Ueda, M. 239
Ueda, S. 705, 709
Uesaka, M. 243, 893
Uhlig, K. 525
Umeda, M. 161, 263
Ünal, A. 87

Vanický, D. 105
Van Sciver, S.W. 467, 573
Venkatapathy, K. 599
Veshchikov, A.T. 67
van den Bosch, P.J. 109

Wakai, R.T. 149
Walsh, R.P. 723
Wang, C. 555
Wang, R. 883
Wang, S.Q. 555
Watanabe, K. 55
Weber, H.W. 697, 743, 751, 871
Wegendt, K. 155
Wetzko, M. 375
Wiatrzyk, J.M. 701
Williams, J.E.C. 93
Wong, F. 249, 257, 853

Xiang, Y. 489
Xiao, J.H. 15, 21, 27, 101

Yamada, N. 887
Yamafuji, K. 169, 181, 189, 327
Yamamoto, J. 611
Yamaoka, H. 787
Yamasaki, H. 161, 263
Yamashita, T. 901
Yanagi, N. 611
Yan, L.G. 843
Yano, O. 787
Ye, J. 249
Yokomizu, Y. 441, 861
Yokoyama, H. 799
Yoshida, K. 35
Yoshida, S. 263
Yoshida, T. 143
Yoshida, Y. 243
Yoshino, Y. 35
Yuan, Z. 555
Yunus, M.I. 93

Zahn, M. 375
Zrubec, V. 451

Keyword index

A.c. losses 93
A.c. magnetic properties 243
A.c. quench current level 861
A.c. superconducting magnet 181
Active magnetic regenerators 101
Adiabatic demagnetization 303
Alternative procedures 69
Analytical models 581
Annealing 871
Applied superconductivity 843
Arc discharge 505
Artificial pins 169, 181
Atmospheric pressure changes 215
Atomic force microscopy 361
Au-Ge films 447
Axial conduction 581
Axial dispersion 3

Bacterial growth 41
Bi-2223/Ag high T_c superconductor 375
Bi-2223 tape 161
$Bi_2Sr_2Ca_2Cu_3O_x$ films 263
Bicrystal Si(Bi-Si) substrate 901
Biomagnetism 143
BiPbSrCaCuO pellets 271
Bolometers 463
Bubble flow 421
Bubble population balance 421

Calibration procedures 291
Calorimetry 475
Capacitance sensor 393
Carbon-fibre composites 717
Carbon-reinforced plastic 673
Ceramics 35 735
Closed-cycle gas flow cooling 109
CMOS electronics 599
Complex temperatures 9
Composite 611, 689, 701, 719, 755, 821, 829
Composite processing 731
Computer simulation 117
Continuum model 529
Cool-down time 311
Coupling-current loss 327
Criterion 883
Critical current 61
Critical current anisotropy 867
Critical current density 161, 181, 249, 257, 403
Cryocooler 367
Cryoelectronics 599, 801
Cryogenic cable 399
Cryogenic grinding 515
Cryogenic temperatures 871
Cryogenic testing 559
Cryogenics in China 317
Cryostat 195, 215, 677, 801, 821
Cyclic-flow system 203

Defects 853
Design considerations 71
Dielectric properties 787
Diode thermometers 281
Displacer 9
Dissipation 455
Dry-winding superconducting coil 455

Eddy currents 155, 495, 653
Elastic modulus 723, 735
Electrical barriers 701
Electrical breakdown strength 791
Electrical strength 759
Electron irradiation 693, 747
End effect 637
Energy conversion 427
Energy loss 495
Energy margins 455
Energy transformation 15, 21, 27
Engineering plastic films 787
Enhanced boiling 233
Epoxy 767, 779
Epoxy composites 277
Epoxy cracking resistance 809
Epoxy resin 713, 747, 775, 783
Ethylenepropylene rubber 805
Evaporation 31
Exergetic analysis 3
Experimental study 219
External negative feedback 451

Fatigue properties 685
Fibre composites 727
Fibre reinforced composites 743
Fibre reinforced plastic 697, 747, 801, 871
Fibre reinforced plastic–copper composite 751
Fibreglass 771
Fibreglass–epoxy composites 723
Flat superconductors 83
Flow patterns 297
Flow regimes 393
Flow transition 421
Fluctuation method 101
Flux creep 189
Flux flow and creep model 243
Flux jump 611
Flux pinning 61
Former 825
Fractography 871
Fracture behaviour 751
Fracture strength 901
Fracture toughness 767, 779
Free-edge stress 705
Frictional properties 35
FRPs 35
Full adder 599
Fused silica 887
Fusion magnet 611

Gas evolution 755
Gifford–McMahon cryocooler 117, 143, 463, 659
Glass-cloth-reinforced epoxy laminates 705
Glass-fibre-reinforced composites 731
Glass-reinforced plastics 693
Glass/epoxy laminates 709
Glasses 665
Grain boundary 893
Grinding forces 515
Grinding temperature 515
Ground insulation contact 825

^{3}He boiling and condensation 219
He II 631
Heat exchanger 581
Heat flux 427
Heat input 239
Heat intercept 829
Heat transfer 15, 21, 27, 109, 219, 233, 573
Helium 209, 573, 589
Helium plant 483
Hf and Hf-Ca substitution 61
High glass-content laminates 693
High T_c d.c. SQUID magnetometer 109
High T_c experiments 195
High T_c films 155
High T_c superconducting flywheel 243
High T_c superconductors 387, 567, 853
High resolution scanning electron microscopy 361
Homogeneity 339
Horizontal flow 467
Hot press 901
HTSC sensor 463

I_c anisotropy 83
Impregnating material 817
Impregnation 771, 813
Incoloy 813
Industrial applications 317
Infrared bolometer 49
Instrumentation 887
Insulation 685, 689, 709, 719, 739, 759, 805, 813
Insulation resins 701
Interfacial pinning 335
Interfacial residual thermal stress 731
Interferometer 887
Interlaminar fracture 697
Interlaminar shear strength 693
Interlaminar stress 705
Interstrand eddy current losses 529
Inverse analysis 893
I_c–t_f characteristic 441
Irradiation 739, 743, 751, 759, 871
I–V characteristics 263

Joule–Thomson cryocooler 311
Joule–Thomson effect 69

Laminate direction 693
Linear network model 203
Liquefaction 483
Liquid helium 135
Liquid helium evaporation 215
Liquid nitrogen 347
Liquid nitrogen supply lines 347
Longitudinal field loss 327
Loss of liquid helium 239
Low temperature electronics 281
Low temperature studies 573, 755

Low temperature thermometers 525

Magnetic fields 41, 339
Magnetic impurities 665
Magnetic instability 611
Magnetic interactions 567
Magnetic refrigeration 101
Magnetic shielding 335, 403
Magnetoresistance 525
Manganin 239
Mathematical analysis 589
Measurement methods 681
Mechanical properties 717, 723, 727, 743, 787, 871
Methane 763
Microgravity 589
Molecular design 767
MoS_2 35
Motional heat loss 659
MPMG processed YBaCuO 893
Multi-bypass system 555
Multifilamentary wires 189, 327, 637
Multilayer composite sheets 403
Multiply-twisted superconducting cables 327

Nb_3Sn 55, 83
NbTi 335
NbTi ultrafine multifilamentary superconducting wires 169
Neon liquifaction system 195
Niobium 535, 535
Niobium nitride 535, 535
Non-destructive testing 155
Non-Josephson oscillation 49
Normal zone nucleation 623
Normal zone propagation 367, 861

Optical cell 71
Optimization of noise parameters 451
Optimization of twist pitch 327
Oversaturation phenomena 169

Parity simulation model 489
Particle composites 713
Performance 555
Peformance reduction 297
Phase separator 347
Phase-slip centre 49
Physical and mechanical properties 783
Plate-fin heat exchanger 297
Plate heat exchanger 3
Platinum resistance thermometers 291
Poly(benzimidazole) 795
Polyimide 791
Polyimide/epoxy composite 799
Polyimide film 799
Polymers 731
Porous plug phase separators 31
Positive feedback amplifier 489
Positron annihilation 779
Post-isenthalpic expansion temperature 69
Powder-in-tube technique 249, 853
Power consumption 483
Power engineering applications 387
Pressure drop 467
Probability distribution function 393, 421
Process systems 199
Proximity effect 189, 637
Pulse-tube refrigerator 547, 555
Pulse width modulation 393
Purification procedures 209

Quantum turbulence 883
Quench-induced breakdown 135
Quenching 87, 93
Quench protection 441

Radial heat transfer 227
Radiation chemistry 763
Radiation effects 755
Recovery 87
Refrigeration 303, 387, 483
Regenerator 203, 489, 547
Relaxation transitions 277
Resistivity 447
Respiration mixture 209
Ribbon cable 399
Room temperature bore 127
RuO_2 resistors 475
RuO_2 thick film resistors 105

Sausaging 249, 257
Schottky anomaly 345
Second sound wave 645
Self-healing breakdown 791
Shear/compression loading 685
Shear/compression tests 681, 689
Shear and compressive properties 739
Shear strength 559
Shuttle heat transfer 9
Si direct bonding 901
Signal-to-noise ratio improvement 463
Silicon diode temperature sensor 199
Silicon-on-insulator n-MOSFETs 321
Silver-sheathed Bi-2212 tapes 127
Silver-sheathed conductors 853
Slosh reaction forces 589
Sloshing dynamics 589
Slug flow 421
SMES 801
Solenoid 867
Solid oxygen 559
Solidification of helium 71
Space cryogenics 303
Specific heat 345, 713
SQUIDs 239, 801
SQUID magnetometers 143, 451
Stability 375, 809, 817, 825
Stability of rotating flows 227
Stabilizer 611
Stainless steel 345
Standard reference material 887
Strength 677
Strength distribution 55
Stress analysis 681
Strong pulsative heating 645
Structural materials 67
Substrate current characteristics 321
Superconducting cable 495, 611, 805
Superconducting coils 861
Superconducting contact 149
Superconducting critical current 55
Superconducting fault current limiter 441
Superconducting films 49
Superconducting magnets 41, 67, 93, 127, 505, 783, 813, 817, 843
Superconducting Rutherford cables 653
Superconducting shields 339
Superconducting solenoid 809, 825
Superconducting supercollider 529, 795
Superconducting tapes 249, 257, 853
Superconducting wire 135
Superconducting wire bond 149
Superconductivity 535, 653
Superconductor 339, 623, 867
Superconductor stability 87
Superconductor thin-film device fabrication 149
Superconductor wire 795
Superfluid helium 31, 883
Support tubes 717
Surface residual stresses 515
Surface modifications 233
Surge propagation 505
Susceptibility 665
Suspension 821
Synergistic effects 747
System performance analysis 117

Tape-wound superconducting magnet 367
Temperature dependence 271
Temperature measurement 281
Temperature standards 291
Ternary logic 599
Test method 731
Testing technique 697
Thermal boundary layer 645
Thermal bubbles 135
Thermal conductivity 677, 713, 799
Thermal contraction 67
Thermal expansion 717, 755, 887
Thermal interference fit 829
Thermal properties 719, 727
Thermoacoustics 15, 21, 27, 427, 489
Thermodymamic analysis 69, 227, 547, 659
Thermodynamic parameters 483
Thermoelectric power 271
Thermomagnetic instability 623
Thermomechanical properties 709
Thermometers 291, 475
Thermometry 101, 199, 447
Thermophysical properties 277
Thick-film chip resistors 525
Thickness direction 799
Three-valued logic 599
Torque coupling 567
Training behaviour 817
Transient boiling phenomena 631
Transient characteristics 311
Twin-gate concept 321
Twist-pitch 637
Two-phase flow 297, 393
Two-phase helium 467

Ultra-low temperature studies 105

Viscosity 771
Visualization methods 631
Void fraction 467
Vortex-glass–liquid transition 161, 263

'Weak' spots 623
Wire lengths 637
Work flux 427
Woven cable 399

YBCO 61
YBCO film characterization 361
YBCO Josephson junctions 901

Zener diodes 281

Book review 73

Calendar 77, 151, 223, 285, 349, 409, 477, 541, 607, 669, 833, 915

Conference reports 72, 405

News 74

Obituary 419